

## WHAT WE OFFER

## WINDSHIELD SHAPES

We offer spherical, cylindrical, 3-sided or 4-sided windshields with variety of dimensions to suit all needs. If you have any special requirements we can make a custom made windshield just for you!

## WINDSHIELD COLOUR

If you want printed windshields, send us your logo first to help choose a colour that suits it best, otherwise just let us know of your needs. Pantone reference strongly advised.

## WINDSHIELD COLOUR FINISH

We offer windshields in two cover finishes: raw foam finish (we stock six basic foam colours - black, white, red, blue, green, yellow) and flocked finish (brushed velvet finish matched to the provided Pantone® reference).

### PRINT FINISHES

You can choose one of three different print types: up to 4 colour cutflock (velour finish, wide choice of solid colours), full colour sublimation print, or a mix of cutflock and sublimation.

## **DECIPHER OUR WINDSHILED CODE**

C 21 03 hole size
S windshiled model

17mm

23mm

35mm

40mm

T - triangular

C - cylindrical

C2400

60mm

50mm

S - square

# AVAILABLE HOLE SIZES

\*custom hole sizes by request Reporter range holze sizes Studio range holze sizes 01 hole size Ø 17mm C2101 - Ø 45mm 02 hole size Ø 23mm C2102 - Ø 55mm C2400 - Ø 60mm 03 hole size Ø 35mm C2100-40 - Ø 40mm 04 hole size Ø 40mm C2100-50 - Ø 50mm 05 Ø30 to 40mm contoured hole 06 Ø36 to 46mm contoured hole 01 C2101 C2102 46mm 40mm 46mm

30mm

36mm

45mm

55mm



# C1100

#### **Dimensions**


90mm (W) x 90 (H)


#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

Rode Go 30/40 Contoured bore 36/46 Contoured bore





# C1200

## **Dimensions**

80mm (W) x 80 (H)

## **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

## **Special Bores**


Rode Go 30/40 Contoured bore 36/46 Contoured bore

## Recomended

Use with Rode Go



Top and Cross Section View



# C1300

## **Dimensions**


70mm (W) x 90 (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 Contoured bore 36/46 Contoured bore





# C1400

## **Dimensions**


70mm (W) x 100 (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm

## **Special Bores**

30/40 Contoured bore



# C1500

## **Dimensions**


67mm (W) x 67 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### **Special Bores**

30/40 Contoured bore



# C1600

## Dimensions


70mm (W) x 95 (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 Contoured bore 36/46 Contoured bore





# C1800

## **Dimensions**


70mm (W) x 100 (H)


#### **Available Bore dia**

17mm/23mm/30mm/35mm

## **Special Bores**

30/40 Contoured bore 36/46 Contoured bore





# C1900

## **Dimensions**


70mm (W) x 67 (H)


## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### **Special Bores**

30/40 Contoured bore 36/46 Contoured bore





# 90sph


## Dimensions

90mm (W) x 80-85 (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**





# C4100


## **Dimensions**

60mm (W) x 105 (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm

## **Special Bores**



# C4200

## **Dimensions**


80mm (W) x 115 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 Contoured bore 36/46 Contoured bore



# C4300


## **Dimensions**

53mm (W) x 70 (H)

#### **Available Bore dia**

17mm/23mm/30mm

## **Special Bores**





# C4400

#### **Dimensions**

80mm (W) x 90 (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**


Rode Go 30/40 Contoured bore 36/46 Contoured bore

#### Recomended

Use with Rode Go

## **Special Models**

C44spt with triangular flag attached



## C4500


## **Dimensions**

68mm (W) x 100 (H)

## **Available Bore dia**

17mm/23mm/30mm

## **Special Bores**



# C4600

## **Dimensions**


90mm (W) x 105 (H)

#### **Available Bore dia**

17mm/23mm/30mm

## **Special Bores**

30/40 Contoured bore 36/46 Contoured bore





# C4700

## **Dimensions**

80mm (W) x 100 (H)

#### **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

#### **Special Bores**

Rode Go / Contoured bore

## Recomended

Use with Rode Go



# C4800

## **Dimensions**


85mm (W) x 110 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

Rode Go / Contoured bore



# C5300


## **Dimensions**

67mm (W) x 82 (H)

#### **Available Bore dia**

17mm/23mm/30mm

## **Special Bores**





# C5400


## **Dimensions**

70mm (W) x 180 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**



# C5500


## **Dimensions**

70mm (W) x 210 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**





# T1100

#### **Dimensions**

83mm (W) x 92 (H)

#### **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

## **Special Bores**

Rode Go 30/40 Contoured bore 36/46 Contoured bore

### **Special Models**

T1100 Large 90x100mm



## T1200

## **Dimensions**


70mm (W) x 135 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### Comments

Not advised for use with larger head microphones such as Shure SM58 or similar



# T1300

## **Dimensions**


85mm (W) x 90 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

Rode Go 30/40 Contoured bore 36/46 Contoured bore





# T1400

### **Dimensions**


80mm (W) x 120mm (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### **Special Bores**

30/40 Contoured bore 36/46 Contoured bore



## T1500

## **Dimensions**


70mm (W) x 95mm (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### Comments

Not advised for use with larger head microphones such as Shure SM58 or similar



# T1600

## **Dimensions**


82mm (W) x 105mm (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 Contoured bore 36/46 Contoured bore





# **T2110**

#### **Dimensions**


76mm (W) x 110 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 Contoured bore



# **T2210**

#### **Dimensions**


70mm (W) x 135 (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 Contoured bore



# **T2310**

## **Dimensions**


76mm (W) x 190 (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### **Special Bores**

30/40 Contoured bore





# **S1100**

#### **Dimensions**

75mm (W) x 103 (H) Face width 62mm

## **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

## **Special Bores**

Rode Go 30/40 contoured bore 36/46 contoured bore

## **Special Models**

S1100 Large 70x110mm S11sps with square flag attached



## **S1200**

## **Dimensions**

75mm (W) x 120 (H) Face width 65mm


### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

## **Special Models**



# **S1300**

## **Dimensions**

80mm (W) x 120 (H) Face width 70mm


#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

## **Special Models**





# **S1400**

#### **Dimensions**

80mm (W) x 80mm (H)

#### **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

#### **Special Bores**

Rode Go 30/40 contoured bore 36/46 contoured bore

#### **Special Models**

\$1400 special 80x120 or 150mm



## **S1500**

## **Dimensions**

64mm (W) x 88 (H) Face width 52mm

### **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

#### Comments

Not recommended for larger diameter microphones



**Top and Cross Section View** 

# **S1600**

## **Dimensions**

78mm (W) x 105 (H) Face width 68mm


#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

## **Special Models**





# **S1700**

## **Dimensions**

70mm (W) x 90mm (H) Face width 60mm


## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

#### Comments




## **S1800**

## **Dimensions**

70mm (W) x 88mm (H)

## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm



# **S1900**

## **Dimensions**

80mm (W) x 105mm (H) Face width 65mm


## **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

## Comments





# **S2100**

## **Dimensions**

90mm (W) x 90mm (H) face width 75mm

## **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

#### **Comments**

Similar shape to \$1400 with rounded faces



## **S2200**

#### **Dimensions**

90mm (W) x 120mm (H) face width 75mm

## **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

## **Special Bores**

30/40 contoured bore 36/46 contoured bore

## Comments

Similar shape to \$1400 with rounded faces





# T13spt

## **Dimensions**


Windshield 85mm (W) x 105mm (H) Flag 95mm (W) x 30-35mm (H)

#### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### **Comments**

Not recommended for larger diameter microphones



# S11sps

#### **Dimensions**

Windshield 75mm (W) x 103mm (H) Face width 62mm


Flag 80mm (W) x 30-35mm (H)

### **Available Bore dia**

17mm/23mm/30mm/35mm/40mm

#### **Comments**

Not recommended for larger diameter microphones



# C44spt

#### **Dimensions**

Windshield 80mm (W) x 90mm (H) Flag 95mm (W) x 30-35mm (H)

## **Available Bore dia**


17mm/23mm/30mm/35mm/40mm

### **Special Bores**

Rode Go / Contoured bore

### **Comments**

Not recommended for larger diameter microphones





# **C2100**

## **Dimensions**


90mm (W) x 125 (H)


#### **Available Bore dia**

40mm/45mm/50mm/55mm

## **Special Bores**

Stepped hole for Shure SM7





# **C2200**


## **Dimensions**


70mm (W) x 95 (H)


## **Available Bore dia**

40mm/45mm

**Special Bores** 







# **C2300**


## **Dimensions**

120mm (W) x 110 (H)

#### **Available Bore dia**

45mm/55mm/60mm

**Special Bores** 





# **C2400**

## **Dimensions**


90mm (W) x 110mm (H)


#### **Available Bore dia**

45mm/50mm/55mm/60mm

#### Comments

Ideal for larger diameter condenser microphones





# **T2400**

## **Dimensions**


95mm (W) x 120mm (H)


## **Available Bore dia**

45mm/50mm/55mm

## Comments

Ideal for larger diameter condenser microphones





# C2500

## **Dimensions**


52mm (W) x 95mm (H)

## Available Bore dia

40mm

## Comments

Shure SM7 dedicated windshield





# **C2600**

## **Dimensions**


70mm (W) x 90mm (H)

#### **Available Bore dia**

55mm

#### **Comments**

Rode Podmic dedicated windshield



# C2700

## **Dimensions**


62mm (W) x 70mm (H)

## **Available Bore dia**

40mm

#### **Comments**

Shure MV7 dedicated windshield




# C2800

## **Dimensions**

90mm (W) x 100mm (H)

## **Available Bore dia**

40/45/50/55 x 80mm





# 90sph C-LIP

## **Dimensions**


90mm (W) x 85 (H)


## **Available Bore dia**

head bore 40mm handgle bore 20mm

## Comments

Coles Lip Microphone







# C6100

## **Dimensions**

70mm (W) x 70mm (H)


## **Available Bore dia**

head bore 40mm handgle bore 20mm


## Comments

Coles Lip Microphone

Branding on 1,2 or 3 sides



Top and Cross Section View





# **SHOTGUN STYLE**



# C3100

## **Dimensions**


52mm (W) x 120 (H)

#### **Available Bore dia**


17mm/20mm/23mm x 100mm deep

#### Comments

Print can be done for horizontal or vertical use



Top and Cross Section View



# C3200

#### **Dimensions**


52mm (W) x 150 (H)

## **Available Bore dia**


17mm/20mm/23mm x 120mm deep

#### Comments

Print can be done for horizontal or vertical use



Top and Cross Section View



# C3300

## **Dimensions**


52mm (W) x 180 (H)

#### **Available Bore dia**


17mm/20mm/23mm x 150mm deep

### Comments

Print can be done for horizontal or vertical use



Top and Cross Section View



# C3400

## **Dimensions**


52mm (W) x 210 (H)

## **Available Bore dia**


17mm/20mm/23mm x 180mm deep

## Comments

Print can be done for horizontal or vertical use



Top and Cross Section View



# **SHOTGUN STYLE**



# T3100

#### **Dimensions**


76mm (W) x 150mm (H)

#### **Available Bore dia**

17mm/23mm/30mm x 120mm deep

#### Comments

Not suitable for reporter style large diameter head microphones



# T3200

## **Dimensions**


76mm (W) x 180mm (H)

#### **Available Bore dia**

17mm/23mm/30mm x 150mm deep

#### Comments

Not suitable for reporter style large diameter head microphones



# T3300

## **Dimensions**


70mm (W) x 210mm (H)

#### **Available Bore dia**

17mm/23mm/30mm x 180mm deep

### Comments

Not suitable for reporter style large diameter head microphones



# **SHOTGUN STYLE**



# **S3100**

## **Dimensions**


75mm (W) x 150mm (H) Face width 55mm

## **Available Bore dia**

17mm/23mm/30mm x 120mm deep

#### Comments

Not suitable for reporter style large diameter head microphones



## **S3200**

## **Dimensions**


75mm (W) x 180mm (H) Face width 60mm

#### **Available Bore dia**

17mm/23mm/30mm x 150mm deep

#### Comments

Not suitable for reporter style large diameter head microphones



# **S3300**

## **Dimensions**


75mm (W) x 210mm (H) Face width 60mm

## **Available Bore dia**

17mm/23mm/30mm x 180mm deep

## Comments

Not suitable for reporter style large diameter head microphones



# **MOBILE REPORTER STYLE**




# **iWS**


## **Dimensions**

95mm (W) x 45mm (H)

## **Dedicated for use with**

iPhone models: 6/7/8 Plus Series iPhone models: XR/XS/11/12






# **SWS**


### **Dimensions**

90mm (W) x 45mm (H)

## **Dedicated for use with**

Samsung Galaxy mobile phones






# **ZOOM**


## **Dimensions**

90mm (W) x 55mm (H) x 45mm (D) ID 60x30mm or 55x25mm

## **Dedicated for use with**

Zoom recorders H2 H4





# **OTHER**



# **T-Flag**


**Dimensions** 

95mm (W) x 30-40mm (H)

**Available Bore dia** 

23mm

**Comments** 



# **S-Flag**


**Dimensions** 

80mm (W) x 30-40mm (H)

Available Bore dia

23mm

**Comments** 



# **C-Flag**


**Dimensions** 

80mm (W) x 30-40mm (H)

**Available Bore dia** 

23mm

**Comments** 



# **MISCELLANEOUS**



# **HEADSETS FCWS**

#### **Dimensions**

Various sizes available from 15x20mm

#### **Available Bore dia**


Ø 5/7/10mm

#### **Special Bores**

Special bores available on request

#### Comments

Depending on type of artwork, branding can be done on both sides or one side only



## **BESPOKE**

We like to be challanged with new shapes and special requests and have extensive portfolio of bespoke gimmiky shapes.



**ITV COMMUNICATIONS** Palmotićeva 16 11000 Beograd, Serbia

Tel.: +381 11 303 11 99

E-mail:

office@itvcom.com



Hitex World Operations SA route d'Amont 14 1720 Corminboeuf Switzerland

Tel.: +41 76 558 56 78

E-mail: office@hitex.tv